

Australian technology reaches the field: supporting and monitoring the release of Pod-Borer Resistant Cowpea



Key details

Location Nigeria		
Duration Start Jan 2022		End Jun 2023
Budget	AUD 250,000	
Commissioned	lorganisation	
Partners African Agricultu CSIRO	ural Technology	Foundation;
Project Leader Dr TJ Higgins		
ACIAR Researd	ch Program Ma	nager
Program	<u>Crops</u>	

Overview

This project aimed to assist in the dissemination and monitoring of the effects of the released Pod-Borer Resistant cowpea in Nigeria.

Nigeria is the largest producer of cowpea in the world with about 44% of the world's cowpea produced in Nigeria. Almost every household consumes cowpea in various cooked forms at least once a day. In Nigeria, cowpea is the main source of dietary protein and vital minerals such as iron, for low-income people, and it is rightly referred to as the meat of the poor. Nigeria is also the largest importer of cowpea in Africa.

The release of Bt-based Pod-borer Resistant (PBR) Cowpea variety Sampea 20-T is the culmination of a breeding effort to introgress Bt-based resistance that commenced in 2003, overseen by CSIRO researcher TJ Higgins, and should overcome a major yield limitation to cowpea in Nigeria, Ghana and Burkina Faso.

This project addressed 5 research questions:

- What are the field-based biological consequences of PBR cowpea compared to conventional cowpeas in Nigeria?
- 2. Is adequate genetically-pure PBR cowpea seed being supplied to farmers in Nigeria?
- 3. Are farmers adhering to the recommended field practices when introducing PBR cowpea?

Nigeria

- 4. How do adopters compare to non-adopters after introduction, concerning practices and results?
- 5. What are the expectations from farmers in Ghana and Burkina Faso about PBR Cowpea future deployment?

Project outcomes

- Established the technology's biological and environmental performance in farmers' fields, through rigorous surveys (e.g. insect surveys).
- Assessed the level of implementation by farmers of recommended practices (technology stewardship).
- Established the extent of farmers' understanding and ability to apply stewardship programs and good agronomic practices for cowpea.
- Provide an independent estimate of the purity and quality of foundation seed: this information will be passed to the stewardship teams and seed producers for them to take action.
- Enhanced capacity of extension officers and scientists to monitor in-field effects and perform stewardship studies.

